


6.092: Introduction to Java

1: Types, Variables, Operators

The Computer



CPU Instructions

$$z = x + y$$

Read location x

Read location y

Add

Write to location z


Programming Languages

- Easier to understand than CPU instructions
- Needs to be translated for the CPU to understand it

Java

- “Most popular” language
- Runs on a “virtual machine” (JVM)
- More complex than some (eg. Python)
- Simpler than others (eg. C++)

Compiling Java



First Program

```
class Hello {  
    public static void main(String[] arguments) {  
        // Program execution begins here  
        System.out.println("Hello world.");  
    }  
}
```

Program Structure

```
class CLASSNAME {  
    public static void main(String[] arguments) {  
        STATEMENTS  
    }  
}
```


Output

`System.out.println(some String)` outputs to the console

Example:

```
System.out.println("output");
```

Second Program

```
class Hello2 {  
    public static void main(String[] arguments) {  
        System.out.println("Hello world."); // Print once  
        System.out.println("Line number 2"); // Again!  
    }  
}
```

Types

Kinds of values that can be stored and manipulated.

boolean: Truth value (**true** or **false**).

int: Integer (0, 1, -47).

double: Real number (3.14, 1.0, -2.1).

String: Text (“hello”, “example”).

Variables

Named location that stores a value of one particular type.

Form:

TYPE NAME;

Example:

String foo;

Assignment

Use = to give variables a value.

Example:

```
String foo;
```

```
foo = "IAP 6.092";
```

Assignment

Can be combined with a variable declaration.

Example:

```
double badPi = 3.14;
```

```
boolean isJanuary = true;
```

```
class Hello3 {  
    public static void main(String[] arguments) {  
        String foo = "IAP 6.092";  
        System.out.println(foo);  
        foo = "Something else";  
        System.out.println(foo);  
    }  
}
```

Operators

Symbols that perform simple computations

Assignment: =

Addition: +

Subtraction: -

Multiplication: *

Division: /

Order of Operations

Follows standard math rules:

1. Parentheses
2. Multiplication and division
3. Addition and subtraction

```
class DoMath {  
    public static void main(String[] arguments) {  
        double score = 1.0 + 2.0 * 3.0;  
        System.out.println(score);  
        score = score / 2.0;  
        System.out.println(score);  
    }  
}
```

```
class DoMath2 {  
    public static void main(String[] arguments) {  
        double score = 1.0 + 2.0 * 3.0;  
        System.out.println(score);  
        double copy = score;  
        copy = copy / 2.0;  
        System.out.println(copy);  
        System.out.println(score);  
    }  
}
```

String Concatenation (+)

```
String text = "hello" + " world";  
text = text + " number " + 5;  
// text = "hello world number 5"
```

Assignment: GravityCalculator

Compute the position of a falling object:

$$x(t) = 0.5 \times at^2 + v_i t + x_i$$

MIT OpenCourseWare
<http://ocw.mit.edu>

6.092 Introduction to Programming in Java
January (IAP) 2010

For information about citing these materials or our Terms of Use, visit: <http://ocw.mit.edu/terms>.